Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
[1	3845	(allot\$ or choos\$ or allocat\$4 or assign\$4 or mark\$3) near5 spar\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:16
L2	67	1 with ((bit adj correct\$4) or ecc or (error adj correct\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 18:52
L3	33	1 with pulse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 18:05
L4	53	1 with (quality or accura\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 18:06
L5	241	((reallocat\$4 or reassign\$4) near5 spar\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:18
L6	1	((reallocat\$4 or reassign\$4) near5 spar\$) with (non-spare or nonspare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 18:22
L7	1	((reallocat\$4 or reassign\$4) with spar\$) with (non-spare or nonspare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 18:23
L8	1	((realloca\$4 or reassign\$4) with spar\$) with (non-spare or nonspare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 18:24
L9	1	((realloca\$4 or reassign\$4) with spar\$) same (non-spare or nonspare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:14

L10	3	((realloca\$4 or reassign\$4) with spar\$) and (non-spare or nonspare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 18:24
<u>171</u>	44	brebisson.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 18:53
L12	4	brebisson-cyrille-de.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 18:53
L13	1	(allocating adj data adj site) with storage same quality same defect. clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:01
L14	3038	711/170.ccls. or 714/710.ccls. or 714/52.ccls. or 369/47.14 or 369/53.17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:02
L15	33	14 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:02
L16	1	14 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:03
L17	4	14 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:03
L18	599	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:18
L19	4	5 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:20

L20	1	19 and (quality or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:27
L21	471	714/710.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:28
L22	13	21 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 19:28

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21926	(bit adj correct\$4) or ecc or (error adj connect\$4) with spar\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:28
L4	21923	(bit adj correct\$4) or ecc or (error adj connect\$4) near5 spar\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:29
L5	2146	(allocat\$4 or assign\$4 or mark\$3 or choosing) near5 spare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:29
L6	408	L4 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:29
L7	52	L4 with L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:29
L8	31	((allocat\$4 or assign\$4 or mark\$3 or choosing) near5 spare) with (accura\$3 or quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:29
L9	5	((allocat\$4 or assign\$4 or mark\$3 or choosing) near5 spare) with pulse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:30
L10	19	L4 with L5 with defect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:30